

Attribute Selector Table

Selector	Example	Example Description	CSS
.class	.intro	Selects all elements with class="intro"	1
#id	#firstname	Selects the element with id="firstname"	1
element	p	Selects all <p> elements	1
element,element	div, p	Selects all <div> elements and all <p> elements	1
element element	div p	Selects all <p> elements inside <div> elements	1
:active	a:active	Selects the active link	1
::first-letter	p::first-letter	Selects the first letter of every <p> element	1
::first-line	p::first-line	Selects the first line of every <p> element	1
:hover	a:hover	Selects links on mouse over	1
:link	a:link	Selects all unvisited links	1
:visited	a:visited	Selects all visited links	1
*	*	Selects all elements	2
element>element	div > p	Selects all <p> elements where the parent is a <div> element	2
element+element	div + p	Selects all <p> elements that are placed immediately after <div> elements	2
[attribute]	[target]	Selects all elements with a target attribute	2
[attribute=value]	[target=_blank]	Selects all elements with target="_blank"	2
[attribute~=value]	[title~=flower]	Selects all elements with a title attribute containing the word "flower"	2
[attribute =value]	[lang =en]	Selects all elements with a lang attribute value starting with "en"	2
::after	p::after	Insert something after the content of each <p> element	2
::before	p::before	Insert something before the content of each <p> element	2
:first-child	p:first-child	Selects every <p> element that is the first child of its parent	2
:focus	input:focus	Selects the input element which has focus	2
:lang(language)	p:lang(it)	Selects every <p> element with a lang attribute equal to "it" (Italian)	2
element1~element2	p ~ ul	Selects every element that are preceded by a <p> element	3
[attribute^=value]	a[href^="https"]	Selects every <a> element whose href attribute value begins with "https"	3
[attribute\$=value]	a[href\$=".pdf"]	Selects every <a> element whose href attribute value ends with ".pdf"	3
[attribute*=value]	a[href*="w3schools"]	Selects every <a> element whose href attribute value contains the substring "w3schools"	3
:checked	input:checked	Selects every checked <input> element	3
:disabled	input:disabled	Selects every disabled <input> element	3
:empty	p:empty	Selects every <p> element that has no children (including text nodes)	3
:enabled	input:enabled	Selects every enabled <input> element	3
:first-of-type	p:first-of-type	Selects every <p> element that is the first <p> element of its parent	3
:in-range	input:in-range	Selects input elements with a value within a specified range	3
:invalid	input:invalid	Selects all input elements with an invalid value	3
:last-child	p:last-child	Selects every <p> element that is the last child of its parent	3
:last-of-type	p:last-of-type	Selects every <p> element that is the last <p> element of its parent	3
:not(selector)	:not(p)	Selects every element that is not a <p> element	3

<code>:nth-child(n)</code>	<code>p:nth-child(2)</code>	Selects every <p> element that is the second child of its parent	3
<code>:nth-last-child(n)</code>	<code>p:nth-last-child(2)</code>	Selects every <p> element that is the second child of its parent, counting from the last child	3
<code>:nth-last-of-type(n)</code>	<code>p:nth-last-of-type(2)</code>	Selects every <p> element that is the second <p> element of its parent, counting from the last child	3
<code>:nth-of-type(n)</code>	<code>p:nth-of-type(2)</code>	Selects every <p> element that is the second <p> element of its parent	3
<code>:only-of-type</code>	<code>p:only-of-type</code>	Selects every <p> element that is the only <p> element of its parent	3
<code>:only-child</code>	<code>p:only-child</code>	Selects every <p> element that is the only child of its parent	3
<code>:optional</code>	<code>input:optional</code>	Selects input elements with no "required" attribute	3
<code>:out-of-range</code>	<code>input:out-of-range</code>	Selects input elements with a value outside a specified range	3
<code>:read-only</code>	<code>input:read-only</code>	Selects input elements with the "readonly" attribute specified	3
<code>:read-write</code>	<code>input:read-write</code>	Selects input elements with the "readonly" attribute NOT specified	3
<code>:required</code>	<code>input:required</code>	Selects input elements with the "required" attribute specified	3
<code>:root</code>	<code>:root</code>	Selects the document's root element	3
<code>:target</code>	<code>#news:target</code>	Selects the current active #news element (clicked on a URL containing that anchor name)	3
<code>:valid</code>	<code>input:valid</code>	Selects all input elements with a valid value	3
<code>::selection</code>	<code>::selection</code>	Selects the portion of an element that is selected by a user	